

MODEL	SPECIFICATIONS
219020	
ANTENNA TYPE	End-fed 1/2 λ coaxial MULTI band dipole antenna for the 900/1800/1900/2100 cellular networks <ul style="list-style-type: none"> • Wideband performance in high bands • Full omni-directional radiation pattern • DC-grounded (DC-short) - antistatic • NO GROUNDPLANE NEEDED
FREQUENCY	DUALBAND 880-960/1710-1880 / DECT 1850-1990 / UMTS 1920-2170
IMPEDANCE	Nom. 50 Ω
POLARISATION	Vertical
GAIN	0 / 0 dBd (2,15 / 2,15 dBi)
BANDWIDTH	See FREQUENCY
VSWR	GSM900: < 3.1 GSM1800-UMTS: < 2.1
MAX. POWER	GSM900: 20 Watt GSM1800-UMTS: 10 Watt
COLOUR	White
LENGTH (WHIP)	Approx. 440 mm
WEIGHT	Approx. 0,3 kg
MOUNTING	Exclusive
MATERIAL	PU-painted heavy duty \varnothing 18mm glass-fibre tube and chrome plated brass IP66 Classified
TEMPERATURE	-40°C - +70°C



CONNECTOR	N (f)
-----------	-------