

MODEL	SPECIFICATIONS
7610103	
MOUNT TYPE	Roof-mounted TETRA / TETRAPOL flexible antenna base with integrated active GPS antenna Rod elevation: 75°
GPS antenna part: ANTENNA TYPE POLARISATION FREQUENCY IMPEDANCE GAIN (LNA) NOISE FIG. POWER SUPPLY	Active ceramic patch antenna on PCB RHC (Right Hand Circular) 1575,42 MHz Nom. 50 Ω Nom. 26 dB Typ. 1.8-2.2 dB + 3,0 - 5,5 VDC (10-30 mA)
FREQUENCY	380-400 MHz 1/4 λ
IMPEDANCE	Nom. 50 Ohm
COLOUR	Black
LENGTH (WHIP)	Approx. 130 mm
DIMENSIONS	95 x 52 mm
HIGHT ABOVE ROOF	Approx. 44 mm
MOUNTING-HOLE	Ø 19 mm
MATERIALS	ABS, POM, PE and steel
BUILD-IN DEPTH	Approx. 20 mm

CONNECTION TO ANTENNA WHIP	M5
CABLE / CONNECTOR	GPS: 0,18 m RG174C/U FME (f) TETRA: 0,15 m RG316U FME (m)

SPARE PARTS	WHIP	Art. No. 7610
-------------	------	---------------

